



CL-350 TRAINING MANUAL

QUIZ ANSWERS

21

AIRCRAFT SYSTEMS
TRAINING MANUAL

This page intentionally left blank



CL-350 Chapter Quiz -- Answer Summary

AFCS

- 1) B (FCOM2 04-01-1, AFM 02-04-1, ASTM 17-3)
- 2) C (AFM-Limitations 02-04-1, FCOM2 04-01-1, ASTM 17-35)
- 3) C (FCOM2 04-01-1, AFM 02-04-1, ASTM 17-3)
- 4) B (FCOM2 04-01-6, AFM 02-04-1, ASTM 17-6)
- 5) B (FCOM2 04-01-1, AFM 02-04-1, ASTM 17-6)
- 6) B (FCOM2 04-01-1, ASTM 17-3)
- 7) C (AFM-Limitations 02-03-6, FCOM2 04-01-1, ASTM 17-3)
- 8) C (FCOM2 04-01-30, ASTM 17-17)
- 9) B (FCOM2 04-01-3, ASTM 17-7)
- 10) B (FCOM2 04-01-1, ASTM 17-6)
- 11) B (FCOM2 04-01-6, ASTM 17-6)
- 12) C (FCOM2 04-01-1, ASTM 17-4)
- 13) B (FCOM2 04-01-32, ASTM 17-17)
- 14) B (FCOM2 04-01-37, ASTM 17-17)
- 15) B (FCOM2 04-01-1, ASTM 17-4)
- 16) C (FCOM2 04-01-9, ASTM 17-18)
- 17) C (FCOM2 04-01-16, ASTM 17-26)
- 18) B (FCOM2 04-01-15, ASTM 17-25)
- 19) B (FCOM2 04-01-15, ASTM 17-25)
- 20) B (FCOM2 04-01-9, ASTM 17-18)

APU

- 1) B (AFM-Limitations 02-06-3, FCOM2 05-01-1, ASTM 8-19)
- 2) B (FCOM2 05-01-10, ASTM 8-6)
- 3) B (AFM-Limitations 02-06-3, ASTM 8-20)
- 4) B (AFM-Limitations 02-06-3, FCOM2 05-01-10, ASTM 8-7)
- 5) B (FCOM2 05-01-10, ASTM 8-6)
- 6) C (FCOM2 07-01-3, FCOM2 05-01-1, ASTM 8-12)
- 7) B (FCOM2 05-01-8, ASTM 8-8)
- 8) B (AFM-Limitations 02-06-3, ASTM 8-19)
- 9) B (FCOM2 05-01-1, ASTM 8-3)
- 10) C (AFM-Limitations 02-06-3, FCOM2 05-01-10, ASTM 8-7)
- 11) C (FCOM2 05-01-10, ASTM 8-6)
- 12) C (FCOM2 05-01-5, ASTM 8-5)
- 13) D (AFM-Limitations 02-06-3, ASTM 8-20)
- 14) B (FCOM2 05-01-8, ASTM 8-7)
- 15) B (FCOM2 05-01-10, ASTM 8-6)
- 16) C (FCOM2 05-01-10, ASTM 8-7)
- 17) C (AFM-Limitations 02-06-3, ASTM 8-7)
- 18) C (FCOM2 05-01-5, ASTM 8-5)
- 19) B (FCOM2 05-01-11, ASTM 8-11)
- 20) C (FCOM2 05-01-11, ASTM 8-10)



COMMUNICATIONS

- 1) B (FCOM2 06-01-7, ASTM 16-4)
- 2) C (FCOM2 06-01-24, ASTM 16-12)
- 3) D (FCOM2 06-01-25, ASTM 16-12)
- 4) B (FCOM2 06-01-25, ASTM 16-12)
- 5) A (FCOM2 06-01-27, ASTM 16-14)
- 6) C (FCOM2 06-01-27, ASTM 16-14)
- 7) D (FCOM2 06-01-28, ASTM 16-13)
- 8) C (FCOM2 06-01-16, ASTM 16-15)
- 9) B (FCOM2 06-01-12, ASTM 16-3)
- 10) D (FCOM2 06-01-12, ASTM 16-7)
- 11) D (FCOM2 06-01-12, ASTM 16-7)
- 12) C (FCOM2 06-01-24, ASTM 16-12)
- 13) D (FCOM2 06-01-25, ASTM 16-13)
- 14) B (FCOM2 06-01-16, ASTM 16-15)
- 15) B (FCOM2 06-01-12, ASTM 16-6)
- 16) B (FCOM2 06-01-2, ASTM 16-8)
- 17) C (FCOM2 06-01-16, ASTM 16-15)
- 18) B (FCOM2 06-01-7, ASTM 16-4)
- 19) A (FCOM2 06-01-20, ASTM 16-17)
- 20) C (FCOM2 06-01-20, ASTM 16-17)

EICAS

- 1) B (ASTM 15-8, FCOM2 03-02-8)
- 2) C (ASTM 15-8, FCOM2 03-02-9)
- 3) B (ASTM 15-19, FCOM2 03-01-1)
- 4) C (ASTM 15-6, FCOM2 03-02-6)
- 5) C (ASTM 15-9, FCOM2 03-02-9)
- 6) B (ASTM 15-6, FCOM2 03-02-5)
- 7) D (ASTM 15-8, FCOM2 03-02-2)
- 8) A (ASTM 15-9, FCOM2 03-02-1)
- 9) C (ASTM 15-8, FCOM2 03-02-8)
- 10) C (ASTM 15-10, FCOM2 03-02-9)
- 11) B (ASTM 15-4, FCOM2 03-02-2)
- 12) C (ASTM 15-6, FCOM2 03-02-6)
- 13) B (ASTM 15-6, FCOM2 03-02-8)
- 14) C (ASTM 15-9, FCOM2 03-02-9)
- 15) C (ASTM 15-7, FCOM2 03-02-7)
- 16) D (ASTM 15-9, FCOM2 03-02-1)
- 17) A (ASTM 15-7, FCOM2 03-02-7)
- 18) B (ASTM 15-20, FCOM2 03-02-5)
- 19) B (ASTM 15-9, FCOM2 03-02-9)
- 20) B (ASTM 15-17, FCOM2 03-02-3)



ELECTRICAL

- 1) B (ASTM 7-3, FCOM2 07-01-1)
- 2) B (ASTM 7-4, FCOM2 07-01-3)
- 3) C (ASTM 7-4, FCOM2 07-01-3)
- 4) B (ASTM 7-5, FCOM2 07-01-5)
- 5) C (ASTM 7-5, FCOM2 07-01-5)
- 6) C (ASTM 7-3, FCOM2 07-01-1, QRH1 ELEC 04-2)
- 7) B (ASTM 7-8, FCOM2 07-01-1)
- 8) C (ASTM 7-5, FCOM2 07-01-3)
- 9) C (ASTM 7-8, FCOM2 07-01-3)
- 10) C (ASTM 7-4, FCOM2 07-01-3)
- 11) B (ASTM 7-5, FCOM2 07-01-6)
- 12) B (ASTM 7-9, FCOM2 07-01-1, FCOM2 07-01-7)
- 13) C (ASTM 7-15, FCOM2 07-01-7)
- 14) C (ASTM 7-23, FCOM2 07-01-20, AFM-Limitations 02-04-14)
- 15) B (ASTM 7-23, AFM-Limitations 02-04-14)
- 16) B (ASTM 7-23, AFM-Limitations 02-04-14)
- 17) C (ASTM 7-22, FCOM2 07-01-21)
- 18) C (ASTM 7-5, FCOM2 07-01-3)
- 19) C (ASTM 7-8, FCOM2 07-01-20)
- 20) D (ASTM 7-21, FCOM2 07-01-20)

EMERGENCY EQUIPMENT

- 1) B (ASTM 20-3, FCOM2 08-01-23)
- 2) B (ASTM 20-4, FCOM2 08-01-24)
- 3) C (ASTM 20-4, FCOM2 08-01-25)
- 4) B (ASTM 20-4, FCOM2 08-01-24)
- 5) B (ASTM 20-3, FCOM2 08-01-24)
- 6) B (ASTM 20-5, FCOM2 08-01-26)
- 7) B (ASTM 20-5, FCOM2 08-01-26)
- 8) B (ASTM 20-5, FCOM2 08-01-26)
- 9) B (ASTM 20-5, FCOM2 08-01-26)
- 10) B (ASTM 20-4, FCOM2 08-01-24)
- 11) B (ASTM 20-8, FCOM2 08-01-30)
- 12) B (ASTM 20-8, FCOM2 08-01-30)
- 13) B (ASTM 20-7, FCOM2 08-01-23)
- 14) B (ASTM 20-9, FCOM2 08-01-33)
- 15) C (ASTM 20-8, FCOM2 08-01-30, QRH2 F-LDG 08-1)



ENVIRONMENTAL

- 1) C (ASTM 10-9, FCOM2 02-02-6)
- 2) B (ASTM 10-11, FCOM2 02-02-7)
- 3) C (ASTM 10-7, FCOM2 02-02-3, FCOM2 02-02-5)
- 4) C (ASTM 10-12, FCOM2 02-02-5)
- 5) B (ASTM 10-15, FCOM2 02-02-2)
- 6) C (ASTM 10-7, FCOM2 02-02-2)
- 7) B (ASTM 10-7, FCOM2 02-02-2, FCOM2 02-02-4)
- 8) B (ASTM 10-15, FCOM2 02-03-4)
- 9) B (ASTM 10-17, FCOM2 02-03-1)
- 10) B (ASTM 10-23, FCOM2 02-03-10)
- 11) B (ASTM 10-21, FCOM2 02-03-5)
- 12) C (ASTM 10-21, FCOM2 02-03-5)
- 13) B (ASTM 10-16, FCOM2 02-03-1)
- 14) C (ASTM 10-7, FCOM2 02-02-4)
- 15) B (ASTM 10-8, FCOM2 02-02-5)
- 16) B (ASTM 10-12, FCOM2 02-02-5, FCOM2 02-03-1)
- 17) B (ASTM 10-14, FCOM2 02-03-2)
- 18) C (ASTM 10-7, FCOM2 02-02-5)
- 19) C (ASTM 10-18, FCOM2 02-03-6)
- 20) C (ASTM 10-11, FCOM2 02-02-7)

FIRE

- 1) B (FCOM2 09-01-4, ASTM 14-5)
- 2) C (FCOM2 09-01-5, FCOM2 09-01-12, ASTM 14-3)
- 3) B (FCOM2 09-01-5, ASTM 14-7)
- 4) B (FCOM2 09-01-11, ASTM 14-8)
- 5) B (FCOM2 09-01-15, ASTM 14-12)
- 6) C (FCOM2 09-01-4, ASTM 14-13)
- 7) B (FCOM2 09-01-9, ASTM 14-7)
- 8) A (FCOM2 09-01-14, ASTM 14-11)
- 9) C (FCOM2 09-01-2, ASTM 14-3)
- 10) B (ASTM 14-13)
- 11) B (FCOM2 09-01-13, FCOM2 09-01-17, AFM-Emergency 03-15-1, ASTM 14-16)
- 12) B (FCOM2 09-01-15, ASTM 14-12)
- 13) C (FCOM2 09-01-4, ASTM 14-5)
- 14) B (FCOM2 09-01-5, FCOM2 09-01-9, FCOM2 09-01-12, ASTM 14-8)
- 15) B (FCOM2 09-01-15, FCOM2 09-01-17, ASTM 14-13)
- 16) C (FCOM2 09-01-5, ASTM 14-7)
- 17) B (FCOM2 09-01-15, ASTM 14-13)
- 18) C (FCOM2 09-01-14, ASTM 14-11)
- 19) D (FCOM2 09-01-17, ASTM 14-17)
- 20) C (FCOM2 09-01-15, ASTM 14-13)



FLIGHT CONTROLS

- 1) B (FCOM2 10-01-1, FCOM2 10-01-2, ASTM 5-8)
- 2) B (FCOM2 10-02-2, ASTM 5-9)
- 3) C (FCOM2 10-02-9, ASTM 5-9)
- 4) C (FCOM2 10-02-15, ASTM 5-17)
- 5) C (FCOM2 10-01-7, ASTM 5-5)
- 6) B (FCOM2 10-01-2, ASTM 5-8)
- 7) C (FCOM2 10-02-2, ASTM 5-9)
- 8) B (FCOM2 10-02-1, ASTM 5-12)
- 9) C (FCOM2 10-02-14, ASTM 5-18)
- 10) C (AFM-Non-Normal 05-23-9, QRH2 FCTL 07-14, ASTM 5-24)

FLIGHT INSTRUMENTS

- 1) C (FCOM2 11-01-1, ASTM 18-3)
- 2) B (FCOM2 11-01-43, ASTM 18-29)
- 3) B (FCOM2 11-01-41, ASTM 18-21)
- 4) C (FCOM2 11-01-49, ASTM 18-21)
- 5) C (FCOM2 11-01-13, ASTM 18-11)
- 6) B (FCOM2 11-01-5, ASTM 18-49)
- 7) C (FCOM2 11-01-29, ASTM 18-28)
- 8) B (FCOM2 11-01-17, ASTM 18-34)
- 9) C (FCOM2 11-01-31, ASTM 18-23)
- 10) C (FCOM2 11-01-62, ASTM 18-47)
- 11) B (FCOM2 11-01-49, ASTM 18-21)
- 12) C (FCOM2 17-01-51, AFM-Limitations 02-04-12, ASTM 19-37)
- 13) B (FCOM2 11-01-46, ASTM 18-22)
- 14) D (FCOM2 17-01-40, ASTM 18-34)
- 15) B (FCOM2 11-01-49, ASTM 18-21)
- 16) C (FCOM2 11-01-53, ASTM 18-23)
- 17) B (FCOM2 17-01-17, ASTM 19-42)
- 18) D (FCOM2 11-01-26, ASTM 18-24)
- 19) B (FCOM2 11-02-1, ASTM 18-40)
- 20) C (FCOM2 11-01-17, ASTM 18-34)



FUEL

- 1) B (FCOM2 12-01-1, AFM 02-05-3, ASTM 3-3)
- 2) C (FCOM2 12-01-4, ASTM 3-7)
- 3) B (FCOM2 12-01-3, ASTM 3-7)
- 4) B (FCOM2 12-01-4, ASTM 3-9)
- 5) C (FCOM2 12-01-4, ASTM 3-9)
- 6) B (FCOM2 12-01-4, ASTM 3-8)
- 7) B (FCOM2 12-01-12, FCOM2 12-01-14, ASTM 3-11)
- 8) D (FCOM2 12-01-4, FCOM2 12-01-9, ASTM 3-13)
- 9) C (FCOM2 12-01-6, ASTM 3-15)
- 10) A (FCOM2 12-01-5, ASTM 3-9)
- 11) B (FCOM2 12-01-1, FCOM2 12-01-4, ASTM 3-8)
- 12) C (FCOM2 12-01-12, FCOM2 12-01-14, ASTM 3-12)
- 13) A (FCOM2 12-01-2, ASTM 3-7)
- 14) B (FCOM2 12-01-4, ASTM 3-8)
- 15) D (FCOM2 12-01-6, ASTM 3-10)
- 16) C (AFM 02-05-2, FCOM2 12-01-7, ASTM 3-17)
- 17) B (FCOM2 12-01-6, ASTM 3-15)
- 18) B (FCOM2 12-01-14, QRH FUEL 09-1, ASTM 3-18)
- 19) C (FCOM2 12-01-7, FCOM2 12-01-9, ASTM 3-17)
- 20) C (AFM 02-05-4, ASTM 3-21)

HYDRAULICS

- 1) B (ASTM 4-3, FCOM2 13-01-2)
- 2) C (AFM-Limitations 02-04-15, ASTM 4-3)
- 3) B (ASTM 4-5, FCOM2 13-01-3, FCOM2 13-01-6)
- 4) B (ASTM 4-13, FCOM2 13-01-8)
- 5) B (ASTM 4-18, FCOM2 13-01-5)
- 6) C (ASTM 4-18, FCOM2 13-01-5)
- 7) B (ASTM 4-15, FCOM2 13-01-11)
- 8) B (ASTM 4-13, FCOM2 13-01-8)
- 9) B (ASTM 4-8, FCOM2 13-01-2)
- 10) C (ASTM 4-23, FCOM2 13-01-16, QRH HYD 11-1)
- 11) C (FCOM2 13-01-5, ASTM 4-19)
- 12) C (ASTM 4-18, FCOM2 13-01-4)
- 13) B (ASTM 4-8, FCOM2 13-01-2)
- 14) B (ASTM 4-15, FCOM2 13-01-11)
- 15) C (FCOM2 13-01-1, ASTM 4-4)



ICE & RAIN

- 1) B (ASTM 9-4, FCOM2 14-01-1)
- 2) B (ASTM 9-4, FCOM2 14-01-1)
- 3) C (ASTM 9-6, FCOM2 14-01-2)
- 4) B (ASTM 9-7, FCOM2 14-01-2)
- 5) B (ASTM 9-6, FCOM2 14-01-2)
- 6) C (ASTM 9-8, FCOM2 14-01-4)
- 7) B (ASTM 9-14, FCOM2 14-01-8)
- 8) C (ASTM 9-7, FCOM2 14-01-2)
- 9) D (ASTM 9-14, FCOM2 14-01-8)
- 10) B (ASTM 9-19, AFM-Limitations 02-01-1)
- 11) B (ASTM 9-8, FCOM2 14-01-3)
- 12) C (ASTM 9-14, FCOM2 14-01-8, AFM-Limitations 02-01-1)
- 13) C (ASTM 9-11, FCOM2 14-01-6)
- 14) B (ASTM 9-4, FCOM2 14-01-1)
- 15) C (ASTM 9-8, FCOM2 14-01-4)
- 16) D (ASTM 9-12, FCOM2 14-01-7)
- 17) C (ASTM 9-8, FCOM2 14-01-4)
- 18) D (ASTM 9-11, FCOM2 14-01-6)
- 19) C (ASTM 9-14, AFM-Limitations 02-01-1)
- 20) B (ASTM 9-14, FCOM2 14-01-7)

LANDING GEAR

- 1) B (FCOM2 15-01-1, FCOM2 15-01-9, ASTM 6-4)
- 2) C (AFM-Limitations 02-03-1, FCOM2 15-01-21, ASTM 6-30)
- 3) C (FCOM2 15-01-11, ASTM 6-26)
- 4) C (FCOM2 15-01-17, ASTM 6-8)
- 5) B (FCOM2 15-01-9, FCOM2 15-01-10, ASTM 6-13)
- 6) B (FCOM2 15-01-11, FCOM2 15-01-16, ASTM 6-23)
- 7) B (FCOM2 15-01-11, ASTM 6-7)
- 8) B (FCOM2 15-01-9, FCOM2 15-01-11, ASTM 6-12)
- 9) C (FCOM2 15-01-1, FCOM2 15-01-24, ASTM 6-12)
- 10) B (FCOM2 15-01-1, ASTM 6-23)
- 11) B (FCOM2 15-01-25, ASTM 6-29)
- 12) A (FCOM2 15-01-6, FCOM2 15-01-9, ASTM 6-12)
- 13) C (FCOM2 15-01-2, ASTM 6-15)
- 14) B (FCOM2 15-01-1, FCOM2 15-01-11, ASTM 6-5)
- 15) C (FCOM2 15-01-9, ASTM 6-13)
- 16) B (FCOM2 15-01-17, ASTM 6-8)
- 17) B (FCOM2 15-01-1, FCOM2 15-01-13, ASTM 6-25)
- 18) C (FCOM2 15-01-3, ASTM 6-6)
- 19) B (FCOM2 15-01-11, ASTM 6-26)
- 20) B (FCOM2 15-01-2, ASTM 6-22)



LIGHTING

- 1) B (ASTM 13-6, FCOM2 16-01-8)
- 2) D (ASTM 13-9, FCOM2 16-01-9)
- 3) B (ASTM 13-4, FCOM2 16-01-5)
- 4) B (ASTM 13-6, FCOM2 16-01-8)
- 5) C (ASTM 13-4, FCOM2 16-01-5)
- 6) D (ASTM 13-5, FCOM2 16-01-2)
- 7) B (ASTM 13-9, FCOM2 16-01-9)
- 8) B (ASTM 13-10, FCOM2 16-01-9)
- 9) B (ASTM 13-12, FCOM2 16-01-10)
- 10) A (ASTM 13-8, FCOM2 16-01-8)
- 11) B (ASTM 13-12, FCOM2 16-01-10)
- 12) C (ASTM 13-9, FCOM2 16-01-9)
- 13) B (ASTM 13-9, FCOM2 16-01-9)
- 14) C (ASTM 13-6, FCOM2 16-01-8)

NAVIGATION

- 1) B (ASTM 19-8, FCOM2 17-01-1 (VHF NAV table covers 108-117.9 for NAV))
- 2) B (ASTM 19-8, FCOM2 17-01-1)
- 3) C (ASTM 19-12, FCOM2 17-01-7)
- 4) B (ASTM 19-13, FCOM2 17-01-63)
- 5) A (ASTM 19-11, FCOM2 17-01-2)
- 6) D (ASTM 19-13, FCOM2 17-01-69)
- 7) B (ASTM 19-18, FCOM2 17-01-31)
- 8) B (ASTM 19-42, FCOM2 17-01-18)
- 9) B (ASTM 19-145, FCOM2 11-01-13)
- 10) B (ASTM 19-12, FCOM2 17-01-7)
- 11) C (ASTM 19-53, FCOM2 17-01-67)
- 12) C (ASTM 19-45, FCOM2 17-01-55)
- 13) A (ASTM 19-10, FCOM2 17-01-2)
- 14) B (ASTM 19-62, AFM-Limitations 02-04-7)
- 15) A (ASTM 19-11, FCOM2 17-01-2)
- 16) B (ASTM 19-21, FCOM2 17-01-35)
- 17) B (ASTM 19-11, FCOM2 17-01-2)
- 18) C (ASTM 19-41, FCOM2 17-01-15)
- 19) B (AFM-Limitations 02-04-11, ASTM 19-141)
- 20) B (ASTM 19-13, FCOM2 17-01-65)



PRESSURIZATION

- 1) C (FCOM2 02-04-1, ASTM 11-4)
- 2) C (AFM-Limitations 02-04-1, FCOM2 02-04-12, ASTM 11-22)
- 3) C (FCOM2 02-04-12, ASTM 11-18)
- 4) B (FCOM2 02-04-1, ASTM 11-5)
- 5) C (FCOM2 02-04-1, ASTM 11-6)
- 6) C (FCOM2 02-04-3, FCOM2 02-04-6, ASTM 11-7)
- 7) B (FCOM2 02-04-2, ASTM 11-6)
- 8) B (FCOM2 02-04-7, ASTM 11-14)
- 9) C (FCOM2 02-04-7, ASTM 11-14)
- 10) C (AFM-Limitations 02-04-1, FCOM2 02-04-3, ASTM 11-22)
- 11) A (FCOM2 02-04-1, ASTM 11-4)
- 12) B (FCOM2 02-04-1, ASTM 11-5)
- 13) B (FCOM2 02-04-1, ASTM 11-6)
- 14) C (FCOM2 02-04-2, ASTM 11-7)
- 15) B (FCOM2 02-04-3, ASTM 11-7)
- 16) D (FCOM2 02-04-7, FCOM2 02-04-13, ASTM 11-9)
- 17) C (FCOM2 02-04-12, QRH ENVR 06-1, ASTM 11-21)
- 18) B (FCOM2 02-04-1, ASTM 11-4)
- 19) C (AFM-Limitations 02-04-1, FCOM2 02-04-12, ASTM 11-22)
- 20) C (FCOM2 02-04-3, FCOM2 02-04-6, ASTM 11-14)

STRUCTURES

- 1) C (ASTM 1-3, FCOM2 01-02-1, TCDS T00005NY Rev 12 p.1, AFM-Limitations 02-02-1)
- 2) C (ASTM 1-4, AFM-Limitations 02-02-1, TCDS T00005NY Rev 12 p.4)
- 3) D (ASTM 1-37, FCOM2 01-05-13)
- 4) C (ASTM 1-41, AFM-Limitations 02-03-1)
- 5) B (ASTM 1-4, AFM-Limitations 02-02-1)
- 6) B (FCOM2 01-05-1, ASTM 1-22)
- 7) C (ASTM 1-22)
- 8) C (ASTM 1-11, FCOM2 01-05-13)
- 9) C (ASTM 1-27, FCOM2 01-05-10)
- 10) C (ASTM 1-41, AFM-Limitations 02-03-1)



This page intentionally left blank

This page intentionally left blank

